



# IAR222

#### **ALL POSITION / TOUTES POSITIONS**

The Ironhead IAR222 All Position tire is engineered for primarily on-highway conditions. The IAR222 is designed with a wide footprint and solid shoulder ribs to deliver exceptional stability and resistance to uneven wear through equal load distribution. It is constructed with deep tread depth to provide excellent tread life as well as enhanced scrub resistance necessary for many applications.

Le Ironhead IAR222, toutes positions, est conçu pour être utilisé sur route. Doté d'une empreinte large et de nervures rigides à l'épaulement, il offre une stabilité exceptionnelle et de la résistance à l'usure irrégulière grâce à une répartition égale de la charge. La profondeur de sa semelle fournit une excellente durée de vie ainsi que la traction nécessaire dans de nombreuses utilisations.





Item#	Size	Ply	T.D.	L.I.1X	L.I.2X	S.R.	0.D.	S.W.	R.W.	LCCx1	LCCx2	A.P.
5536884	11R22.5	16	23	146	143	K	41.8	11.0	8.25	6,610	6,005	120
5546885	11R24.5	16	23	149	146	K	43.7	11.0	8.25	7,160	6,610	120
4120012	315/80R22.5	20	21	161	157	G	42.4	12.3	9.00	10,200	9,090	130
4120834	255/70R22.5	16	22	140	137	L	36.6	10.0	7.50	5,510	5,070	120

#### APPLICATIONS

- Regional Trucks
- Dump Trucks
- Ready Mix Trucks
- Refuse Trucks

### TIRE FEATURES

- Desinged primarily for on-highway service.
- Solid shoulder delivers stability in all positions.
- Extra-deep tread design and unique compound for extended tread life.

#### UTILISATIONS

- Service régional
- Camions à benne
- Transport des ordures
- Bétonnières
- Cueillette et livraison

## CARACTÉRISTIQUES

- Conçu pour utilisation sur route et en terrains accidentés.
- Semelle profonde pour une excellente durée de vie.
- L'épaulement rigide assure de la stabilité à toutes positions.
- Éjecteurs de pierre dans les rainures pour la résistance de gravillons exceptionnelle et une excellente durée de vie de la bande de roulement.

